





GROUND FLOOR PLAN
TOWER A



GROUND FLOOR PLAN
TOWER B



GROUND FLOOR PLAN
TOWER C



GROUND FLOOR AREA PLAN
SCALE 1:100 (TOWER- A,B,C)

GROUND FLOOR AREA CALCULATION

SNO.	SHAPE	LENGHTH (HOR.)	WIDTH (VER.)	COUNTS	AREA (SQ.MTS)	FORMULA
GROUND FLOOR AREA CALCULATION						
ADDITIONS=						
A	RECT.	0.585	4.150	1	2.43	LXB
B	RECT.	1.700	4.050	1	6.89	LXB
C	RECT.	0.35	4.15	1	1.4525	LXB
D	RECT.	6.08	8.11	1	49.3088	LXB
E	RECT.	2.150	11.360	1	24.42	LXB
E1	RECT.	0.350	0.100	2	0.07	LXB
F	RECT.	2.54	7.30	1	18.54	LXB
F1	RECT.	0.200	3.75	2	1.50	LXB
G	RECT.	3.250	1.400	1	4.55	LXB
H	RECT.	2.2	1.4	1	3.08	LXB
H1	RECT.	2.54	3.75	1	9.525	LXB
H2	RECT.	1.3	4.05	1	5.265	LXB
H3	RECT.	1.73	1.76	1	3.0448	LXB
I1	RECT.	0.35	0.1	2	0.07	LXB
I	RECT.	0.340	3.550	1	1.21	LXB
I'	RECT.	2.150	7.300	1	15.70	LXB
J	RECT.	5.45	6.880	1	37.50	LXB
K	RECT.	0.2	1.460	1	0.29	LXB
L	RECT.	5.025	4.200	1	21.11	LXB
M	RECT.	0.53	1.5	2	1.590	LXB
N	RECT.	1.27	0.70	2	1.778	LXB
O	RECT.	0.550	0.57	2	0.63	LXB
P	RECT.	0.300	0.35	2	0.21	LXB
Q	RECT.	0.55	4.84	2	5.32	LXB
R	RECT.	1.975	4.74	2	18.72	LXB
S	RECT.	5.825	6.840	2	56.19	LXB
T	RECT.	5.06	3.385	2	34.39	LXB
U	RECT.	2.050	0.600	2	2.46	LXB
V	RECT.	5.690	5.625	2	64.01	LXB
W	RECT.	3.75	1.50	2	11.25	LXB
X	RECT.	4.35	1.90	2	16.53	LXB
Y	RECT.	2.775	4.2	1	11.66	LXB
Z	RECT.	2.45	1.46	1	3.58	LXB
1	RECT.	3.2	3.8	1	12.16	LXB
2	RECT.	2.8	6.3	1	17.64	LXB
3	RECT.	2.85	3.75	1	10.69	LXB
4	RECT.	3.25	0.35	1	1.14	LXB
DEDUCTION					475.89	
S	RECT.	0.775	1.44	1	1.12	LXB
				TOTAL	474.77	

GROUND FLOOR FAR CALCULATIONS (A+B)					474.77	— X
STILT AREA & BALCONY CALCULATIONS						
S1	RECT.	8.23	4.06	1	33.41	LXB
S2	RECT.	2.75	0.8	2	4.40	LXB
S3	RECT.	4.78	4.05	1	19.30	LXB
S4	RECT.	0.35	4.15	1	1.4525	LXB
S5	RECT.	1.7	4.05	1	6.89	LXB
S6	RECT.	1.305	4.15	1	5.41575	LXB
S7	RECT.	8.715	0.8	1	6.972	LXB
					77.90	— Y
B1	RECT.	0.585	1.7	2	1.989	LXB
B2	RECT.	1.7	1.8	2	6.12	LXB
B3	RECT.	0.35	1.7	2	1.19	LXB
B4	RECT.	5.21	1.8	2	18.76	LXB
B5	RECT.	0.35	1.7	2	1.19	LXB
B5A	RECT.	2.19	1.8	2	7.88	LXB
B6	RECT.	0.2	1.45	2	0.58	LXB
B7	RECT.	1.5	2.675	2	8.03	LXB
B8	RECT.	1.05	0.575	2	1.2075	LXB
B9	RECT.	1.27	0.8	2	2.03	LXB
B10	RECT.	1.8	2.5	2	9.00	LXB
B11	RECT.	4.06	1.5	2	12.18	LXB
B12	RECT.	0.55	1.2	2	1.32	LXB
B13	RECT.	3.03	1.8	2	10.91	LXB
B14	RECT.	2.05	1.2	2	4.92	LXB
B15	RECT.	0.725	1.7	2	2.47	LXB
B16	RECT.	1.975	1.8	2	7.11	LXB
B17	RECT.	0.35	1.7	2	1.19	LXB
					98.07	
				TOTAL	98.07	— Z
TOTAL GROUND COVERAGE (X +Y+Z)					650.73	

PLUMBING LEGEND:-	
1	110 OD SOIL & VENT PIPE
2	110 OD WASTE & VENT PIPE
3	75 OD VENT PIPE
4	140 OD RAIN WATER PIPE
4a	75 OD BALCONY DRAIN PIPE
4b	75 OD BALCONY DRAIN PIPE FOR STILT
5	DOMESTIC WATER SUPPLY DOWN TAKE (DWS)
5a	HYDRO PNEUMATIC WATER SUPPLY DOWN TAKE TO TOP THREE FLOORS
6	FLUSHING WATER SUPPLY DOWN TAKE (FWS)
7	DOMESTIC WATER RISER
8	FLUSHING WATER RISER

SYMBOLS:-
- FLOOR TRAP WITH 50MM WATER SEAL
- FLOOR DRAIN
- SHOWER
- DROP PIPE
- ACCESS DOOR
- WATER PIPE
- SOIL PIPE
- VENT PIPE

NOTE:- SERVICE SHAFT SHOULD BE SEALED AT EVERY FLOOR AFTER INSTALLATION OF SERVICES

NOTE:-
- ALL TOILET DAMS 150mm
- ALL CONST DAMS 150mm GENERAL DAMS
- ALL ADDITIONAL 35mm LOCAL DAMS
- WHERE SHOWN & PIPES IS LOCATED

SCHEDULE OF DOOR WINDOW

S.NO.	TYPE	SIZE	B.L.	L.L.
1.	D1	1050X2250	80	2400
2.	D2	900X2100	80	2100
3.	D3	750X2100	80	2100
4.	D4	900X2250	80	2300
5.	D5	900X2250	80	2300
6.	DW1	1800X2250	80	2300
7.	DW2	1400X2250	80	2300
8.	DW3	1700X2250	80	2300
9.	DW4	1270X2250	1000	2300
10.	DW5	1500X2250	50	2300
11.	DW6	1970X2250	50	2300
12.	DW7	2800X2250	1950	2300
13.	W1	0250X1450	900	2300
14.	W2	1500X1450	900	2300
15.	W3	1500X1450	900	2300
16.	W4	1100X1450	450	2300
17.	V1	1500X600	1200	2100
18.	V2	1500X1100	1200	2100
19.	V3	1800X1100	1200	2300
20.	OP	900X2100	00	2100
21.	OP1	750X2100	00	2100
22.	FD1	1200X2300	00	2300
23.	FD2	1500X2300	00	2300
24.	FD3	1450X2300	100	2300
25.	FD4	1800X2300	100	2300
26.	AD	1800X1100	1200	2300
27.	GL	AS PLAN	100	2300
28.	GL1	1940 X 2300	100	2300



SCALE:-
1:100

NORTH:-

REVISED & ADDITIONAL
BUILDING PLANS
OF GROUP HOUSING COLONY
AREA MEASURING
18.744 ACRES (LICENCE NO. 01 OF
2014 DATED 03/01/2014) IN
SECTOR-33, SOHNA BEING
DEVELOPED BY
AUM SHREE HOTELS &
RESORTS PVT. LTD IN COLLABORATION
WITH GODREJ HIGHVIEW LLP

OWNER'S SIGN:-


For GODREJ HIGHVIEW LLP
Authorised Signatory

ARCHITECT'S SIGN:-

MUKHEET SHARGAL
ARCHITECT
GAN/C/1774

FLOOR PLANS, AREA DETAILS
TOWER A,B&C


3



FIRST FLOOR PLAN
TOWER A, B & C

FIRST AREA CALCULATION						
SNO.	SHAPE	LENGTH (HOR.)	WIDTH (VER.)	COUNTS	AREA (SQ.MTS)	FORMULA
ADDITIONS=						
A	RECT.	0.585	4.150	1	2.43	LXB
B	RECT.	1.700	4.050	1	6.89	LXB
C	RECT.	0.35	4.15	1	1.4525	LXB
D	RECT.	6.08	8.11	1	49.3088	LXB
E	RECT.	11.360	2.150	1	24.42	LXB
E1	RECT.	0.350	0.100	2	0.07	LXB
F	RECT.	7.30	2.54	1	18.54	LXB
F1	RECT.	0.200	3.75	2	1.50	LXB
G	RECT.	3.250	1.400	1	4.55	LXB
H	RECT.	1.76	1.73	1	3.0448	LXB
I	RECT.	0.550	0.575	1	0.32	LXB
J	RECT.	5.45	6.880	1	37.50	LXB
K	RECT.	0.2	1.460	1	0.29	LXB
K1	RECT.	2.8	0.300	1	0.84	LXB
L	RECT.	5.025	4.200	1	21.11	LXB
M	RECT.	1.5	0.530	2	1.590	LXB
N	RECT.	1.27	0.70	2	1.778	LXB
O	RECT.	0.550	0.57	2	0.63	LXB
P	RECT.	0.300	0.35	2	0.21	LXB
Q	RECT.	0.55	4.84	2	5.32	LXB
R	RECT.	1.975	4.74	2	18.72	LXB
S	RECT.	5.805	4.840	2	56.19	LXB
T	RECT.	5.08	3.385	2	34.39	LXB
U	RECT.	2.050	0.600	2	2.46	LXB
V	RECT.	5.690	5.625	2	64.01	LXB
W	RECT.	3.75	1.50	2	11.25	LXB
X	RECT.	4.35	1.90	2	16.53	LXB
Y	RECT.	2.775	4.2	1	11.66	LXB
Z	RECT.	2.45	1.46	1	3.58	LXB
L1	RECT.	2.19	0.2	1	0.44	LXB
L2	RECT.	0.55	0.3	1	0.17	LXB
L3	RECT.	3.25	0.2	1	0.65	LXB
L4	RECT.	6.05	0.2	1	0.81	LXB
L5	RECT.	1.3	0.2	1	0.26	LXB
L6	RECT.	0.2	3.05	1	0.61	LXB
L7	RECT.	2.49	0.2	1	0.50	LXB
					404.01	
DEDUCTIONS=						
1	RECT.	1.33	1.36	2	3.62	LXB
3	RECT.	3.05	2.25	1	6.86	LXB
4	RECT.	2.275	2.63	1	5.98325	LXB
5	RECT.	0.56	0.75	1	0.42	LXB
6	RECT.	0.46	0.9	1	0.41	LXB
7	RECT.	1.44	1.75	1	2.52	LXB
8	RECT.	0.45	0.275	2	0.25	LXB
9	RECT.	1.07	0.4	2	0.856	LXB
10	RECT.	1.27	0.94	1	1.19	LXB
11	RECT.	1.305	0.59	2	1.5399	LXB
12	RECT.	0.2	0.3	2	0.12	LXB
13	RECT.	1.6	0.59	2	1.89	LXB
14	RECT.	1.33	0.75	2	2.00	LXB
15	RECT.	0.775	1.44	1	1.12	LXB
				TOTAL	28.77	


TOTAL COVERED AREA=ADDITIONS-DEDUCTIONS
404.01-28.77= 375.23
TOTAL ACHIEVED FAR= 375.23SQ.M.



TYPICAL FLOOR PLAN 2ND TO 18TH FLOOR
TOWER A ,B & C

TYPICAL FLOOR (2ND TO 18TH FLOOR) AREA CALCULATION						
SNO.	SHAPE	LENGHTH (HOR.)	WIDTH (VER.)	COUNTS	AREA (SQ.MTS)	FORMULA
ADDITIONS=						
A	RECT.	0.585	4.150	2	4.86	LXB
B	RECT.	1.700	4.050	2	13.77	LXB
C	RECT.	0.35	4.15	2	2.905	LXB
D	RECT.	6.08	8.11	2	98.6176	LXB
E	RECT.	2.150	11.360	2	48.85	LXB
E1	RECT.	0.350	0.100	2	0.07	LXB
F	RECT.	2.54	7.30	1	18.54	LXB
F1	RECT.	0.200	3.75	2	1.50	LXB
G	RECT.	3.250	1.400	1	4.55	LXB
H	RECT.	2.2	1.4	1	3.08	LXB
H1	RECT.	2.54	3.75	1	9.525	LXB
I	RECT.	0.340	3.550	1	1.21	LXB
J	RECT.	5.45	6.880	1	37.50	LXB
K	RECT.	0.2	1.460	1	0.29	LXB
K1	RECT.	2.8	0.300	1	0.84	LXB
L	RECT.	5.025	4.200	1	21.11	LXB
M	RECT.	1.5	0.530	2	1.590	LXB
N	RECT.	1.27	0.70	2	1.778	LXB
O	RECT.	0.550	0.57	2	0.63	LXB
P	RECT.	0.300	0.35	2	0.21	LXB
Q	RECT.	0.55	4.84	2	5.32	LXB
R	RECT.	1.975	4.74	2	18.72	LXB
S	RECT.	5.805	4.840	2	56.19	LXB
T	RECT.	5.08	3.385	2	34.39	LXB
U	RECT.	2.050	0.600	2	2.46	LXB
V	RECT.	5.690	5.525	2	64.01	LXB
W	RECT.	3.75	1.50	2	11.25	LXB
X	RECT.	4.35	1.90	2	16.53	LXB
Y	RECT.	2.775	4.2	1	11.66	LXB
Z	RECT.	2.45	1.46	1	3.58	LXB
					495.52	
DEDUCTIONS=						
1	RECT.	1.33	1.36	2	3.62	LXB
3	RECT.	3.05	2.25	1	6.86	LXB
4	RECT.	2.275	2.63	1	5.98325	LXB
5	RECT.	0.56	0.75	1	0.42	LXB
6	RECT.	0.46	0.9	1	0.41	LXB
7	RECT.	1.44	1.75	1	2.52	LXB
8	RECT.	0.45	0.275	2	0.25	LXB
9	RECT.	1.07	0.4	2	0.856	LXB
10	RECT.	1.27	0.94	1	1.19	LXB
11	RECT.	1.305	0.59	2	1.5399	LXB
12	RECT.	0.2	0.3	2	0.12	LXB
13	RECT.	1.6	0.59	2	1.89	LXB
14	RECT.	1.33	0.75	2	2.00	LXB
15	RECT.	0.775	1.44	1	1.12	LXB
				TOTAL	28.77	

TOTAL COVERED AREA=ADDITIONS-DEDUCTIONS
495.52-28.77= 466.75
TOTAL ACHIEVED FAR= 466.75 SQ.M



TYPICAL FLOOR AREA PLAN (2ND TO 18TH FLOOR PLAN)
SCALE 1:100 (TOWER- A,B,C)

PLUMBING LEGEND:-	
1	110 OD SOIL & VENT PIPE
2	110 OD WASTE & VENT PIPE
3	75 OD VENT PIPE
4	160 OD RAIN WATER PIPE
4a	75 OD BALCONY DRAIN PIPE
4b	75 OD BALCONY DRAIN PIPE FOR UTILITY
5	DOMESTIC WATER SUPPLY DOWN SIDE (DWS)
5a	HYDRO-PNEUMATIC WATER SUPPLY DOWN SIDE TO TOP THREE FLOOR
6	FLUSHING WATER SUPPLY DOWN SIDE (FWS)
7	DOMESTIC WATER RISER
8	FLUSHING WATER RISER
SYMBOL:-	
WT	FLOOR TRAP WITH 50mm WATER SEAL
FD	FLOOR DRAIN
	100*100
	200*100
	ACCESS DOOR
	150/100 STP/CHR
	WASTE PIPE
	SOIL PIPE
	VENT PIPE


NOTE:- SERVICE SHAFT SHOULD BE STARTED FROM FLOOR AFTER INSTALLATION OF SERVICES

NOTE:
AC SLEEVE 324×150 mm
BALCONY SLAB DROPPED BY 150mm SLOPE
WIRE OPENING 300×150 & SLOPE
WHERE SMALL PIPES IS OCCURED

SCHEDULE OF DOOR WINDOW				
SNO.	TYPE	SIZE	B.L.	S.L.
1	D1	1050X2100	GF	2400
2	D2	900X2100	GF	2100
3	D3	750X2100	GF	2100
4	D4	600X2100	GF	2100
5	D5	800X2100	GF	2100
6	DW1	1500X2100	GF	2100
7	DW2	1400X2100	GF	2100
8	DW3	1700X2100	GF	2100
9	DW4	1275X2100	1050	2100
10	DW5	1900X2100	GF	2100
11	DW6	1575X2100	GF	2100
12	DW7	2000X2100	1050	2100
13	W1	825X1450	900	2350
14	W2	1500X1450	900	2350
15	W3	1500X1450	900	2350
16	W4	1150X1450	450	2350
17	V1	750X900	1200	2100
18	V2	750X1150	1200	2350
19	V3	600X1150	1200	2350
20	DP	800X2100	00	2100
21	DP1	750X2100	00	2100
22	FD1	1200X2100	00	2100
23	FD2	750X2350	00	2350
24	FD3	840X2350	100	2350
25	FD4	800X2350	100	2350
26	A2	850X1150	1200	2350
27	GL	65 PLAN	100	2350
28	GL1	1040 X 2200	100	2350

NOTE: THICKNESS OF BLOCK WORKS ARE CONSIDERED 100 AND 200 MM.

TOWER-A B & C					
GROUND COVERAGE = 650.73 SQ.M.					
GROUND FLOOR	474.74	X	1	474.74	SQ.M.
FIRST FLOOR	375.23	X	1	375.23	SQ.M.
TYP. FLOOR 2ND-18TH	466.75	X	17	7934.750	SQ.M.
TOTAL ACHIEVED F.A.R				8784.72	SQ.M.



FIRST FLOOR AREA PLAN SCALE 1:100 (TOWER- A,B,C)

FIRE LEGEND:-	
A1	150D HYDRANT PIPE FOR HIGH ZONE
B	90D DRAIN PIPE
C1	150D SPRINKLER PIPE FOR HIGH ZONE
A	150D HYDRANT PIPE FOR LOW ZONE (UP TO 12TH FLOOR)
C	150D SPRINKLER PIPE FOR LOW ZONE (UP TO 12TH FLOOR)
FHC	180 HOSE CABINET

This is a " PROVISIONAL APPROVED BUILDING PLAN" only for purpose of inviting objection from the general public.
Addl. Director (HQ)
Directorate of Town and Country Planning, Haryana, Chandigarh
Ram Avtar Sasai
ADI(HQ)

SCALE:-
1:100

NORTH:-


REVISED & ADDITIONAL BUILDING PLANS OF GROUP HOUSING COLONY AREA MEASURING 18.744 ACRES (LICENCE NO. 01 OF 2014 DATED 03/01/2014) IN SECTOR-33, SOHNA BEING DEVELOPED BY AUM SHREE HOTELS & RESORTS PVT. LTD IN COLLABORATION WITH GODREJ HIGHVIEW LLP

OWNER'S SIGN.-
For Godrej Highview LLP
Authorised Signatory


ARCHITECT'S SIGN.-
ASSISTANT DIRECTOR GRADE-I (TECH.)
ADI(HQ)

FLOOR PLANS, AREA DETAILS TOWER A,B&C

3A



TERRACE FLOOR PLAN



MACHINE ROOM / WATER TANK ROOF PLAN (TOWER- A,B,C)

FOR TERRACE
SCHEDULE OF DOOR WINDOW

S.NO.	TYPE	SIZE	S.L	L.L
1.	FD1-A	1200X2150	00	2150
2.	FD2-A	750X2150	00	2150
3.	FD3-A	940X2150	00	2150
4.	FD4-A	900X2150	00	2150
5.	D1A	950X2150	00	2150
6.	W5	750X1250	900	2150

PLUMBING LEGEND:-

1	110 OD SOIL & VENT PIPE
2	110 OD WASTE & VENT PIPE
3	75 OD VENT PIPE
4	160 OD RAIN WATER PIPE
4a	75 OD RAILCHY DRAIN PIPE
4b	75 OD RAILCHY DRAIN PIPE FOR DELTY
5	DOMESTIC WATER SUPPLY DOWN TAKE (DWS)
5a	HYDRO PNEUMATIC WATER SUPPLY DOWN TAKE TO TOP THREE FLOORS
6	FLUSHING WATER SUPPLY DOWN TAKE (FWS)
7	DOMESTIC WATER RISER
8	FLUSHING WATER RISER


SYMBOL:-

D	DROP RISE
	DROP PIPE
	VALVE
	STRAINER
	NON RETURN VALVE
FP	FIRE PIPE 450 NB DIAMETER
HDPE	HYDROPNEUMATIC SYSTEM WATER SUPPLY
DWS	DOMESTIC WATER SUPPLY
FWS	FLUSHING WATER SUPPLY

NOTE:- SERVICE SHAFTS SHOULD BE BLOCKED AT EVERY FLOOR AFTER INSTALLATION OF SERVICES

FIRE LEGEND:-


A1	63MM HYDRANT PIPE FOR HIGH RISE
C1	63MM SPRINKLER PIPE FOR HIGH RISE
FHC	FIRE HOSE CABINET




MACHINE ROOM / WATER TANK PLAN (TOWER- A,B,C)

MUMTY/MACHINE ROOM AREA


SNO.	SHAPE	LENGHTH (HOR.)	WIDTH (VER.)	COUNTS	AREA (SQ.MTS)	FORMULA
ADDITIONS=						
A	RECT.	3.250	5.5	1	17.88	LXB
B	RECT.	2.700	5.450	1	14.72	LXB
C	RECT.	4.675	2.78	1	12.9965	LXB
D	RECT.	3.2	7.7	1	24.64	LXB
					70.23	
			TOTAL AREA=		**70.23**	



MUMTY /MACHINE ROOM AREA PLAN
SCALE 1:100 (TOWER- A,B,C)



TYPICAL TOILET WATTR SUPPLY LAYOUT



TYPICAL TOILET DRAINAGE LAYOUT

NOTE: THICKNESS OF BLOCK
WORKS ARE CONSIDERED 100
AND 200 MM.



SCALE:-
1:100

NORTH:-

REVISED & ADDITIONAL
BUILDING PLANS
OF GROUP HOUSING COLONY
AREA MEASURING
18.744 ACRES (LICENCE NO. 01 OF
2014 DATED 03/01/2014) IN
SECTOR-33, SOHNA BEING
DEVELOPED BY
AUM SHREE HOTELS &
RESORTS PVT. LTD IN COLLABORATION
WITH GODREJ HIGHVIEW LLP

OWNER'S SIGN:-


For GODREJ HIGHVIEW LLP
Authorised Signatory

ARCHITECT'S SIGN:-


ARUN JEET SHANKAR
ARCHITECT
CA/91/01745

FLOOR PLANS, AREA DETAILS
TOWER A,B & C

4



GROUND FLOOR PLAN
TOWER D1



GROUND FLOOR PLAN
TOWER D2


TOWER-D1 AND D2				
GROUND COVERAGE = 770.485 SQ.M.				
GROUND FLOOR	597.073	X	1	597.073 SQ.M.
FIRST FLOOR	490.295	X	1	490.295 SQ.M.
TYP. FLOOR 2ND -13TH AND 15TH -24TH	586.913	X	22	12472.066 SQ.M.
25TH FLOOR	530.612	X	1	530.612 SQ.M.
TOTAL ACHIEVED F.A.R				14090.042 SQ.M.

FIRE LEGEND:-	
A1	150Ø HYDRANT PIPE FOR LOW ZONE (UP TO 12TH FLOOR)
B	80Ø DRAIN PIPE
C1	150Ø SPRINKLER PIPE FOR LOW ZONE (UP TO 12TH FLOOR)
A	150Ø HYDRANT PIPE FOR HIGH ZONE
C	150Ø SPRINKLER PIPE FOR HIGH ZONE
FHC	FIRE HOSE CABINET

SYMBOLS:-	
FT	FLOOR TRAP WITH 50MM WATER SEAL
FD	FLOOR DRAIN
BD	BALCONY DRAIN
	DROP ROE
	DROP PIPE
AD	ACCESS DOOR
	150MM CEDER FOR PC/T & BALCONY DRAIN
	WASTE PIPE
	SOIL PIPE
	VENT PIPE

NOTE:- SERVICE SHAFT SHOULD BE SEALED AT EVERY FLOOR AFTER INSTALLATION OF SERVICES

PLUMBING LEGEND:-	
1	110 OD SOIL & VENT PIPE
2	110 OD WASTE & VENT PIPE
3	75 OD VENT PIPE
4	160 OD RAIN WATER PIPE
4a	75 OD BALCONY DRAIN PIPE
4b	75 OD BALCONY DRAIN PIPE FOR UTILITY
4c	110 OD RAIN WATER PIPE
5	DOMESTIC WATER SUPPLY DOWN TAKE (DWS)
5a	HYDRO-PNEUMATIC WATER SUPPLY DOWN TAKE TO TOP THREE FLOORS
6	FLUSHING WATER SUPPLY DOWN TAKE (FWS)
7	DOMESTIC WATER RISER
8	FLUSHING WATER RISER



GROUND FLOOR AREA DETAIL
TOWER D1 AND D2


NOTE: THICKNESS OF BLOCK WORKS ARE CONSIDERED 100, 150 AND 200 MM.

GROUND FLOOR AREA CALCULATIONS DETAIL						
FAR CALCULATIONS						
S. NO.	SHAPE	LENGTH (HOR.)	WIDTH (VERT.)	COUNTS	AREA (SQ.MTS.)	FORMULA
ADDITIONS (+)						
A	RECT.	2.02	5.63	2	22.689	LXB
B	RECT.	4.78	5.58	2	53.345	LXB
C	RECT.	1.813	5.63	2	20.457	LXB
D	RECT.	0.9	8.3	4	0.360	LXB
E	RECT.	0.2	1.8	2	0.720	LXB
F	RECT.	3.8	8.37	1	31.806	LXB
F1	RECT.	3	1.1	1	3.300	LXB
G	RECT.	2.95	1.8	1	5.310	LXB
G1	RECT.	4.25	2.3	1	9.775	LXB
H	RECT.	0.4	0.55	5	1.100	LXB
H1	RECT.	0.4	0.75	1	0.300	LXB
I	RECT.	2.25	0.3	1	0.675	LXB
J	RECT.	1.015	1.52	2	3.086	LXB
K	RECT.	3.93	1.63	2	12.812	LXB
L	RECT.	1.305	0.91	2	2.539	LXB
M	RECT.	3.15	4.69	2	29.547	LXB
N	RECT.	13.195	10.545	1	147.577	LXB
N1	RECT.	1.505	0.5	1	0.798	LXB
N2	RECT.	1.0	3.425	1	3.480	LXB
N3	RECT.	8.095	2.925	1	23.678	LXB
P	RECT.	9.61	3.2	1	30.752	LXB
Q	RECT.	4.545	3.2	1	14.544	LXB
R	RECT.	3.15	4.56	1	14.364	LXB
S	RECT.	3.255	4.56	1	14.843	LXB
T	RECT.	8.71	4.055	2	70.638	LXB
U	RECT.	4.75	1.8	2	17.100	LXB
V	RECT.	0.535	0.2	2	0.214	LXB
W	RECT.	0.4	0.2	2	0.160	LXB
X	RECT.	1.71	4.27	4	29.207	LXB
Y	RECT.	4.81	4.22	2	40.596	LXB
	TOTAL (A)				605.551	SQ.M.
DEDUCTIONS						
4	RECT.	4.2	0.985	1	4.137	LXB
11	RECT.	1.1	0.985	1	1.084	LXB
12	RECT.	2.345	1.695	1	2.220	LXB
13	RECT.	1.055	0.985	1	1.039	LXB
	TOTAL				8.480	SQ.M.
TOTAL ACHIEVED FAR = ADDITIONS - DEDUCTIONS						
(+)	=	605.551	-8.480	=	597.071	SQ.M.

GROUND COVERED AREA CALCULATION FOR BALCONIES, SERVICES AND STILT (Y)						
S.NO.	SHAPE	LENGTH (HOR.)	WIDTH (VERT.)	COUNTS	AREA (SQ.MTS.)	FORMULA
BALCONIES						
B1	RECT.	0.2	1.75	8	2.800	LXB
B2	RECT.	4.78	1.8	2	17.208	LXB
B3	RECT.	3.3	1.5	2	9.900	LXB
B4	RECT.	2.515	1.8	2	17.814	LXB
B5	RECT.	1.395	1.75	2	4.883	LXB
B6	RECT.	0.3	0.1	2	0.060	LXB
B7	RECT.	0.545	0.4	2	0.436	LXB
B7	RECT.	0.445	0.4	1	0.178	LXB
B8	RECT.	0.845	0.4	1	0.338	LXB
B8	RECT.	0.745	0.4	1	0.298	LXB
B9	RECT.	1.295	1.16	2	3.004	LXB
B10	RECT.	1.18	0.75	2	1.770	LXB
B11	RECT.	1.8	1.8	1	3.240	LXB
B12	RECT.	0.4	0.95	1	0.380	LXB
B13	RECT.	1.95	1.5	1	2.925	LXB
B14	RECT.	0.535	1.6	2	1.712	LXB
B15	RECT.	3.7	1.8	2	8.120	LXB
B16	RECT.	0.4	1.6	2	1.280	LXB
B17	RECT.	2.595	1.8	2	9.342	LXB
B18	RECT.	2.95	1.8	1	5.310	LXB
B19	RECT.	4.81	1.8	2	17.316	LXB
B20	RECT.	3.6	1.8	1	6.840	LXB
	TOTAL				99.954	SQ.M.
STILT/ SERVICES						
S1	RECT.	3.8	4.77	1	18.126	LXB
S2	RECT.	1	1.3	1	1.300	LXB
S3	RECT.	1.5	7.025	1	10.538	LXB
S4	RECT.	4.25	1.8	1	7.650	LXB
S5	RECT.	1.8	0.6	1	1.080	LXB
S6	RECT.	2.8	4.825	1	13.510	LXB
S7	RECT.	0.4	0.95	1	0.380	LXB
S8	RECT.	0.4	0.6	1	0.240	LXB
S9	RECT.	1.85	2.3	1	4.255	LXB
S10	RECT.	1.35	2.3	1	3.105	LXB
S11	RECT.	0.65	1.63	2	2.119	LXB
S12	RECT.	6.465	0.75	2	9.698	LXB
	TOTAL				70.580	SQ.M.
TOTAL AREA FOR BALCONIES, SERVICES AND STILT (Y)					164.934	SQ.M.
TOTAL GROUND COVERAGE (X+Y)				=	770.485	SQ.M.

SCHEDULE OF DOOR WINDOW				
S.NO.	TYPE	SIZE	S.L	L.L
1.	GL1	3350X3300	00	3250
2.	FD1	1200X2350	00	2350
3.	FD2	1200X2250	100	2350
4.	FD3	750X2250	100	2350
5.	DW1	2000X2250	00	2350
6.	DW2	1800X2250	00	2350
7.	DW3	1700X2250	00	2350
8.	DW4	1900X2250	00	2350
9.	DW5	1300X2250	00	2350
10.	DW6	1150X2250	00	2350
11.	DW7	1800X2250	00+1200	2350
12.	DW8	1500X2250	00+1200	2350
13.	DW9	1585X2250	00+1200	2350
14.	D1	1050X2350	00	2350
15.	D2	850X2150	00	2150
16.	D2'	800X2150	00	2150
17.	D3	750X2150	00	2150
18.	D5	600X2250	100	2350
19.	OP	600X2150	00	2150
20.	OP1	850X2150	00	2150

SCHEDULE OF DOOR WINDOW				
S.NO.	TYPE	SIZE	S.L	L.L
21.	W1	1050X1900	450	2350
22.	W1'	1400X1900	450	2350
23.	W2	600X1800	450	2350
24.	V1	750X1150	1200	2350
25.	V2	750X950	1200	2150
26.	V3	600X1150	1200	2350




SCALE:-
1:100

REVISED AND ADDITIONAL BUILDING PLANS OF GROUP HOUSING COLONY AREA MEASURING 18.744 ACRES (LICENCE NO. 01 OF 2014 DATED 03/01/2014) IN SECTOR-33, SOHNA BEING DEVELOPED BY AUM SHREE HOTELS & RESORTS PVT. LTD. IN COLLABORATION WITH GODREJ HIGHVIEW LLP


OWNER'S SIGN:-
For GODREJ HIGH...
Authorised Signatory

ARCHITECT'S SIGN:-

PLANS AND AREA DETAILS (TOWERS D1 &D2) | 8



FIRST FLOOR PLAN
TOWER D1 AND D2



FIRST FLOOR AREA DETAIL
TOWER D1 AND D2

FIRST FLOOR AREA CALCULATIONS DETAIL						
S. NO.	SHAPE	LENGTH (HOR.)	WIDTH (VERT.)	COUNTS.	AREA (SQ.MTS.)	FORMULA
ADDITIONS						
A	RECT.	2.02	5.63	2	22.689	LXB
B	RECT.	4.78	5.58	2	53.345	LXB
C	RECT.	1.815	5.63	2	20.437	LXB
D	RECT.	0.3	0.3	4	0.360	LXB
E	RECT.	0.2	1.8	2	0.720	LXB
F	RECT.	3.8	8.37	1	31.806	LXB
F1	RECT.	1	1.1	1	1.100	LXB
G	RECT.	2.95	1.8	1	5.310	LXB
G1	RECT.	4.25	2.3	1	9.775	LXB
H	RECT.	0.4	0.55	5	1.100	LXB
H1	RECT.	0.4	0.75	1	0.300	LXB
I	RECT.	2.25	0.3	1	0.675	LXB
J	RECT.	1.015	1.52	2	3.086	LXB
K	RECT.	3.93	1.63	2	12.812	LXB
L	RECT.	1.395	0.91	2	2.539	LXB
M	RECT.	3.15	4.69	2	29.547	LXB
N	RECT.	5.9	10.545	1	62.216	LXB
N1	RECT.	1.595	0.5	1	0.798	LXB
N2	RECT.	1.6	3.425	1	5.480	LXB
N3	RECT.	8.095	13.47	1	109.040	LXB
P	RECT.	4.545	0.2	1	0.909	LXB
P1	RECT.	4.445	0.2	1	0.889	LXB
Q	RECT.	4.545	3.2	1	14.544	LXB
R	RECT.	3.15	4.56	1	14.364	LXB
S	RECT.	3.255	4.56	1	14.843	LXB
T	RECT.	8.71	4.055	2	70.638	LXB
U	RECT.	4.75	1.8	2	17.100	LXB
V	RECT.	0.535	0.2	2	0.214	LXB
W	RECT.	0.4	0.2	2	0.160	LXB
X	RECT.	1.71	4.27	4	29.207	LXB
Y	RECT.	4.81	4.22	2	40.596	LXB
	TOTAL				576.597	SQ.M.
DEDUCTIONS						
1	RECT.	1.33	1.325	2	3.525	LXB
1'	RECT.	1.33	1.305	2	3.684	LXB
2	RECT.	0.7	0.9	2	1.260	LXB
3	RECT.	0.3	0.45	6	0.810	LXB
4	RECT.	4.2	0.985	1	4.137	LXB
5	RECT.	2.25	0.66	1	1.485	LXB
6	RECT.	2.15	2.25	2	9.675	LXB
7	RECT.	2	1.45	1	2.900	LXB
8	RECT.	1.95	0.1	1	0.195	LXB
9	RECT.	2.25	3.05	1	6.863	LXB
10	RECT.	4.545	2.8	1	12.726	LXB
11	RECT.	1.1	0.985	1	1.084	LXB
12	RECT.	2.145	1.035	1	2.220	LXB
13	RECT.	1.055	0.985	1	1.039	LXB
14	RECT.	1.05	0.65	1	0.683	LXB
15	RECT.	1.20	0.65	1	0.780	LXB
16	RECT.	2.35	0.61	1	1.434	LXB
17	RECT.	3.35	2.1	1	7.035	LXB
18	RECT.	0.5	2	1	1.000	LXB
19	RECT.	3.85	0.2	1	0.770	LXB
20	RECT.	6.3	2.25	1	14.175	LXB
21	RECT.	3.85	1.61	1	6.199	LXB
22	RECT.	1.5	1.75	1	2.625	LXB
	TOTAL				86.301	SQ.M.
TOTAL ACHIEVED FAR = ADDITIONS - DEDUCTIONS						
	=	576.597	-86.301	=	490.295	SQ.M.


Chandigarh Administration for Public Health
Director (HQ)
University of Town and Country Planning, Haryana, Chandigarh

Ram Avtar Bassi
AD(HQ)

SCHEDULE OF DOOR WINDOW				
S.NO.	TYPE	SIZE	S.L.	L.L.
1.	GLT	3350X5300	00	5250
2.	FD1	1200X2350	00	2350
3.	FD2	1200X2250	100	2350
4.	FD3	750X2250	100	2350
5.	DW1	2000X2350	00	2350
6.	DW2	1500X2350	00	2350
7.	DW3	1700X2350	00	2350
8.	DW4	1500X2350	00	2350
9.	DW5	1300X2350	00	2350
10.	DW6	1150X2350	00	2350
11.	DW7	1850X2350	000+1200	2350
12.	DW8	1500X2350	000+1200	2350
13.	DW9	1385X2350	000+1200	2350
14.	D1	1050X2250	00	2350
15.	D2	950X2150	00	2150
16.	D7	900X2150	00	2150
17.	D3	750X2150	00	2150
18.	D5	900X2250	100	2350
19.	OP	900X2150	00	2150
20.	OP1	850X2150	00	2150

SCHEDULE OF DOOR WINDOW				
S.NO.	TYPE	SIZE	S.L.	L.L.
21.	W1	1050X1500	450	2350
22.	W1'	1400X1500	450	2350
23.	W2	600X1500	450	2350
24.	V1	750X1150	1200	2350
25.	V2	750X650	1200	2150
26.	V3	600X1150	1200	2350

TOWERS D1 AND D2					
GROUND COVERAGE = 770.461 SQ.M.					
GROUND FLOOR	597.071	x	1	597.071	SQ.M.
FIRST FLOOR	490.295	x	1	490.295	SQ.M.
7TH FLOOR (2ND-13TH AND 21ST-24TH	366.852	x	33	12410.064	SQ.M.
25TH FLOOR	331.112	x	1	330.512	SQ.M.
TOTAL ACHIEVED F.A.R				24090.942	SQ.M.




TYPICAL TOILET AND KITCHEN
DRAINAGE LAYOUT

FIRE LEGEND:-	
A1	100Ø HYDRANT PIPE FOR LOW ZONE (UP TO 12TH FLOOR)
B	80Ø DRAIN PIPE
C1	100Ø SPRINKLER PIPE FOR LOW ZONE (UP TO 12TH FLOOR)
A	100Ø HYDRANT PIPE FOR HIGH ZONE
C	100Ø SPRINKLER PIPE FOR HIGH ZONE
FHC	FIRE HOSE CABINET

SYMBOL:-	
FT	FLOOR TRAP WITH 50MM WATER SEAL
FD	FLOOR DRAIN
BD	BALCONY DRAIN
	DROP PIPE
	CW DP PIPE
AD	ACCESS DOOR
	150 LTR CISTERN FOR WC, P & BALCONY DRAIN
	WASTE PIPE
	SOIL PIPE
	VENT PIPE


NOTE:- SERVICE SHAFT SHOULD BE SEALED AT EVERY FLOOR AFTER INSTALATION OF SERVICES

PLUMBING LEGEND:-	
1	110 OD SOIL & VENT PIPE
2	110 OD WASTE & VENT PIPE
3	75 OD VENT PIPE
4	160 OD RAIN WATER PIPE
4a	75 OD BALCONY DRAIN PIPE
4b	75 OD BALCONY DRAIN PIPE FOR UTILITY
4c	110 OD RAIN WATER PIPE
5	DOMESTIC WATER SUPPLY DOWN TAKE (DWS)
5a	HYDRO-PNEUMATIC WATER SUPPLY DOWN TAKE TO TOP THREE FLOORS
6	FLUSHING WATER SUPPLY DOWN TAKE (FWS)
7	DOMESTIC WATER RISER
8	FLUSHING WATER RISER



TYPICAL TOILET AND KITCHEN
WATER SUPPLY LAYOUT

NOTE: THICKNESS OF BLOCK WORKS ARE CONSIDERED 100, 150 AND 200 MM.




SCALE:-
1:100

REVISED AND ADDITIONAL BUILDING PLANS OF GROUP HOUSING COLONY AREA MEASURING 18.744 ACRES (LICENCE NO. 01 OF 2014 DATED 03/01/2014) IN SECTOR-33, SOHNA BEING DEVELOPED BY AUM SHREE HOTELS & RESORTS PVT. LTD. IN COLLABORATION WITH GODREJ HIGHVIEW LLP

OWNER'S SIGN:-
For GODREJ HIGHVIEW LLP
Authorised Signatory


ARCHITECT'S SIGN:-

PLANS AND AREA DETAILS (TOWERS D1 &D2) | 8A




TYPICAL FLOOR PLAN (2ND-20TH & 22 ND-24TH FLOOR)
TOWER D1 AND D2


FIRE LEGEND:-	
A1	100Ø HYDRANT PIPE FOR LOW ZONE (UP TO 12TH FLOOR)
B	80Ø DRAIN PIPE
C1	150Ø SPRINKLER PIPE FOR LOW ZONE (UP TO 12TH FLOOR)
A	100Ø HYDRANT PIPE FOR HIGH ZONE
C	150Ø SPRINKLER PIPE FOR HIGH ZONE
PHC	FIRE HOSE CABINET



TYPICAL TOILET AND KITCHEN
DRAINAGE LAYOUT




21ST. FLOOR PLAN
TOWER D1 AND D2



TYPICAL FLOOR AREA DETAIL
TOWER D1 AND D2

TYPICAL FLOOR AREA CALCULATIONS DETAIL						
S. NO.	SHAPE	LENGTH (HOR.)	WIDTH (VERT.)	COUNTS	AREA (SQ.MTS.)	FORMULA
ADDITIONS						
A	RECT.	2.32	5.63	2	22.689	LXB
B	RECT.	4.78	5.58	2	53.345	LXB
C	RECT.	1.815	5.63	2	20.437	LXB
D	RECT.	0.3	0.3	4	0.360	LXB
E	RECT.	0.2	1.8	3	1.080	LXB
F	RECT.	3.8	8.37	1	31.806	LXB
G	RECT.	2.95	1.8	2	10.620	LXB
H	RECT.	0.4	0.05	X	1.330	LXB
I	RECT.	2.25	0.3	2	1.350	LXB
J	RECT.	1.015	3.32	2	6.986	LXB
K	RECT.	3.93	2.63	2	12.812	LXB
L	RECT.	1.395	0.95	2	2.530	LXB
M	RECT.	3.15	4.69	2	29.547	LXB
N	RECT.	13.995	13.97	1	195.510	LXB
P	RECT.	4.545	8.2	1	0.909	LXB
P'	RECT.	4.445	0.2	1	0.889	LXB
Q	RECT.	6.545	3.2	1	14.544	LXB
R	RECT.	3.15	4.56	1	14.364	LXB
S	RECT.	3.255	4.56	1	14.843	LXB
T	RECT.	9.71	4.055	2	78.618	LXB
U	RECT.	4.73	3.8	2	17.300	LXB
V	RECT.	0.535	0.2	2	0.214	LXB
W	RECT.	0.4	0.2	2	0.160	LXB
X	RECT.	3.73	4.27	4	63.207	LXB
Y	RECT.	6.83	4.22	2	46.596	LXB
	TOTAL				621.450 SQ.M.	
DEDUCTIONS						
1	RECT.	1.33	1.325	2	3.525	LXB
2	RECT.	1.19	1.385	2	3.684	LXB
2	RECT.	0.7	0.8	2	1.260	LXB
3	RECT.	0.3	0.45	6	0.810	LXB
4	RECT.	4.2	0.985	1	4.137	LXB
5	RECT.	2.25	0.66	1	1.485	LXB
6	RECT.	2.35	2.25	2	9.675	LXB
7	RECT.	2	1.45	1	2.900	LXB
8	RECT.	1.95	0.1	1	0.195	LXB
9	RECT.	2.25	3.05	1	6.863	LXB
10	RECT.	4.545	7.8	1	35.451	LXB
11	RECT.	1.103	0.985	1	1.039	LXB
14	RECT.	1.65	0.65	1	0.682	LXB
15	RECT.	1.39	0.65	1	0.780	LXB
16	RECT.	2.35	0.65	1	1.634	LXB
	TOTAL				84.480 SQ.M.	
TOTAL ACHIEVED FAR = ADDITIONS - DEDUCTIONS						
	=	621.450	54.498	=	566.912 SQ.M.	



TYPICAL FLOOR AREA DETAIL
TOWER D1 AND D2(21ST FLOOR)

REFUGE TERRACE AREA CALCULATIONS		
GROSS FLOOR AREA AT 82.94 HEIGHT (G)	=	787.86 SQ.M.
GROSS FLOOR AREA OF 2 CONSECUTIVE	=	1515.7 SQ.M.
OCCUPANT LOAD (L)	=	1515.7 /12.5
	=	121.256
	=	118
REQUIRED REFUGE TERRACE AREA	=	(1.5*L) = 0.9
0.3 SQ.M.= AREA PER PERSON	=	36.3 SQ.M.
0.9 SQ.M.= AREA FOR		

PROPOSED REFUGE TERRACE AREA						
S. NO.	SHAPE	LENGTH (HOR.)	WIDTH (VERT.)	COUNTS	AREA (SQ.MTS.)	FORMULA
ADDITIONS						
R1	RECT.	2.80	6.07	1	23.07	LXB
R2	RECT.	2.80	0.50	1	1.40	LXB
R3	RECT.	3.85	6.30	1	24.49	LXB
TOTAL PROPOSED REFUGE TERRACE AREA				=	48.95 SQ.M.	
EXTRA AREA FROM REFUGE TERRACE (TO BE ADDED IN FAR)				=	12.69 SQ.M.	

TYPICAL TOILET AND KITCHEN
WATER SUPPLY LAYOUT

NOTE:- SERVICE SHAFT SHOULD BE SEALED AT EVERY FLOOR AFTER INSTALATION OF SERVICES


NOTE:-
ALL TOILET SUNK 100mm
BALCONY SUNK 100mm (DINESH, SUNIL AND ADDITIONAL 50mm LOCAL SUNK AS PER DRAWN & PIPES IS COVERED)

PLUMBING LEGEND:-	
1	110 OD SOIL & VENT PIPE
2	110 OD WASTE & VENT PIPE
3	75 OD VENT PIPE
4	160 OD RAIN WATER PIPE
4a	75 OD BALCONY DRAIN PIPE
4b	75 OD BALCONY DRAIN PIPE FOR UTILITY
4c	110 OD RAIN WATER PIPE
5	DOMESTIC WATER SUPPLY DOWN TAKE (DWS)
5a	HYDRO-PNEUMATIC WATER SUPPLY DOWN TAKE TO TOP THREE FLOORS
6	FLUSHING WATER SUPPLY DOWN TAKE (FWS)
7	DOMESTIC WATER RISER
8	FLUSHING WATER RISER
SYMBOLS:-	
FT	FLOOR TRAP WITH 50MM WATER SEAL
FD	FLOOR DRAIN
BD	BALCONY DRAIN
	DROP PIPE
	DROP PIPE
	ACCESS DOOR
	150x100 CUTOUT FOR MCP & BALCONY DRAIN
	WASTE PIPE
	SOIL PIPE
	VENT PIPE

SCHEDULE OF DOOR WINDOW				
S.NO.	TYPE	SIZE	B.L.	LL
1.	FD1	1200X2390	00	2390
2.	FD2	1200X2390	100	2390
3.	FD3	750X2350	100	2390
4.	DW1	2000X2390	00	2390
5.	DW2	1800X2390	00	2390
6.	DW3	1700X2390	00	2390
7.	DW4	1500X2390	00	2390
8.	DW5	1300X2390	00	2390
9.	DW6	1150X2390	00	2390
10.	DW7	1900X2390	100+1200	2390
11.	DW8	1500X2390	100+1200	2390
12.	DW9	1300X2390	100+1200	2390
13.	D1	1950X2090	00	2390
14.	D2	950X2190	00	2190
15.	D2'	800X2100	00	2190
16.	D3	750X2150	00	2190
17.	D5	900X2250	100	2390
18.	OP	900X2150	00	2190
19.	OP1	850X2150	00	2190
20.	W1	1050X1900	450	2350
21.	W1'	1400X1900	450	2350
22.	W2	800X1900	450	2350
23.	V1	750X1150	1200	2350
24.	V2	750X980	1200	2150
25.	V3	600X1150	1200	2350

NOTE: THICKNESS OF BLOCK WORKS ARE CONSIDERED 100, 150 AND 200 MM.

FLOOR AREA CALCULATIONS DETAIL						
S.NO.	SHAPE	LENGTH (HOR.)	WIDTH (VERT.)	COUNTS	AREA (SQ.MTS.)	FORMULA
ADDITIONS						
A	RECT.	2.32	5.63	2	22.689	LXB
B	RECT.	4.78	5.58	2	53.345	LXB
C	RECT.	1.815	5.63	2	20.437	LXB
D	RECT.	0.3	0.3	4	0.360	LXB
E	RECT.	0.2	1.8	3	1.080	LXB
F	RECT.	3.8	8.37	1	31.806	LXB
F1	RECT.	1	0.5	1	0.500	LXB
F2	RECT.	0.7	1.8	1	1.260	LXB
G	RECT.	2.95	1.8	1	5.310	LXB
H	RECT.	0.4	0.05	X	1.330	LXB
I	RECT.	2.25	0.3	2	1.350	LXB
J	RECT.	1.015	3.32	2	6.986	LXB
K	RECT.	3.93	2.63	2	12.812	LXB
L	RECT.	1.395	0.95	2	2.530	LXB
M	RECT.	3.15	4.69	2	29.547	LXB
N	RECT.	13.995	13.97	1	195.510	LXB
N1	RECT.	6.1	4.56	1	27.816	LXB
N2	RECT.	4.045	13.97	1	56.509	LXB
P	RECT.	4.545	8.2	1	0.909	LXB
P1	RECT.	4.445	0.2	1	0.889	LXB
Q	RECT.	6.545	3.2	1	14.544	LXB
R	RECT.	3.15	4.56	1	14.364	LXB
S	RECT.	3.255	4.56	1	14.843	LXB
T	RECT.	9.71	4.055	2	78.618	LXB
U	RECT.	4.73	3.8	2	17.300	LXB
V	RECT.	0.535	0.2	2	0.214	LXB
W	RECT.	0.4	0.2	2	0.160	LXB
X	RECT.	1.73	4.27	4	29.207	LXB
Y	RECT.	6.83	4.22	2	46.596	LXB
	TOTAL				572.458 SQ.M.	
EXTRA AREA FROM REFUGE TERRACE				=	12.652 SQ.M.	
TOTAL ADDITIONS				=	585.110 SQ.M.	
DEDUCTIONS						
1	RECT.	1.33	1.325	2	3.525	LXB
2	RECT.	1.19	1.385	2	3.684	LXB
2	RECT.	0.7	0.8	2	1.260	LXB
3	RECT.	0.3	0.45	6	0.810	LXB
4	RECT.	4.2	0.985	1	4.137	LXB
5	RECT.	2.25	0.66	1	1.485	LXB
6	RECT.	2.35	2.25	2	9.675	LXB
7	RECT.	2	1.45	1	2.900	LXB
8	RECT.	1.95	0.1	1	0.195	LXB
9	RECT.	2.25	3.05	1	6.863	LXB
10	RECT.	4.545	7.8	1	35.451	LXB
11	RECT.	1.1	0.985	1	1.084	LXB
12	RECT.	1.145	1.035	1	2.220	LXB
13	RECT.	1.655	0.985	1	1.039	LXB
14	RECT.	1.05	0.65	1	0.683	LXB
15	RECT.	1.39	0.65	1	0.780	LXB
16	RECT.	2.35	0.65	1	1.634	LXB
	TOTAL				54.498 SQ.M.	
TOTAL ACHIEVED FAR = ADDITIONS - DEDUCTIONS						
	=	585.110	54.498	=	530.612 SQ.M.	




SCALE:-
1:100

REVISED AND ADDITIONAL BUILDING PLANS OF GROUP HOUSING COLONY AREA MEASURING 18.744 ACRES (LICENCE NO. 01 OF 2014 DATED 03/01/2014) IN SECTOR-33, SOHNA BEING DEVELOPED BY AUM SHREE HOTELS & RESORTS PVT. LTD. IN COLLABORATION WITH GODREJ HIGHVIEW LLP


OWNER'S SIGN:-
For GODREJ HIGHVIEW LLP
Authorised Signatory

ARCHITECT'S SIGN:-


PLANS AND AREA DETAILS (TOWERS D1 &D2) | 9



TERRACE PLAN
TOWER D1 AND D2



MACHINE ROOM/ WATER TANK ROOF PLAN
TOWER D1 AND D2



MACHINE ROOM/ WATER TANK PLAN
TOWER D1 AND D2



MACHINE ROOM/ WATER TANK AREA DETAIL
TOWER D1 AND D2

SCHEDULE OF DOOR WINDOW

S.NO.	TYPE	SIZE	EL.	LL.
1.	FD1A	1200X2100	00	2100

MACHINE ROOM/ WT AREA CALCULATIONS DETAIL						
S.NO.	SHAPE	LENGTH (MOM.)	WIDTH (MOM.)	NOS.	AREA (SQ.MTS.)	FORMULA
ADDITIONS						
A	RECT.	7.40	3.2	1	23.680	L*B
B	RECT.	8.55	4.85	1	41.468	L*B
C	RECT.	3.65	5.45	1	19.893	L*B
D	RECT.	2.75	0.85	1	2.338	L*B
E	RECT.	5.945	3.2	1	19.024	L*B
	TOTAL				106.402 SQ.M.	

PLUMBING LEGEND:-	
1	110 OD SOIL & VENT PIPE
2	110 OD WASTE & VENT PIPE
3	75 OD VENT PIPE
4	160 OD RAIN WATER PIPE
4a	75 OD BALCONY DRAIN PIPE FOR UTILITY
4b	75 OD BALCONY DRAIN PIPE
5	DOMESTIC WATER SUPPLY DOWN RISE (DWS)
5a	HYDRO-PNEUMATIC WATER SUPPLY DOWN RISE TO TOP THREE FLOORS
6	FLUSHING WATER SUPPLY DOWN RISE (FWS)
7	DOMESTIC WATER RISER
8	FLUSHING WATER RISER

SYMBOLS:-	
	GROUP RISER
	GROUP PIPE
	VALVE
	STRAINER
	NON RETURN VALVE
	WASHING MACHINE WITH UPVC
	DOMESTIC WATER SUPPLY
	FLUSHING WATER SUPPLY

NOTE:- SERVICE SHAFT SHOULD BE SEALED AT EVERY FLOOR AFTER INSTALATION OF SERVICES

FIRE FIGHTING:-	
	150Ø HYDRANT PIPE FOR HIGH ZONE
	100Ø SPRINKLER PIPE FOR HIGH ZONE
	FIRE HOSE CABINET

NOTE: THICKNESS OF BLOCK WORKS ARE CONSIDERED 100, 150 AND 200 MM.

This is a PROVISIONAL APPROVED BUILDING PLAN for the purpose of inviting objections from the general public

Addl. Director of Town and Country Planning, Haryana, Chandigarh

Ram Avtar Bassi
AD(HQ)

Checked and found ok for Public Health requirements subject to compliance of the following:-

1. As per NBC
2. Fire NOC

SCALE:-
1:100

REVISED AND ADDITIONAL BUILDING PLANS OF GROUP HOUSING COLONY AREA MEASURING 18.744 ACRES (LICENCE NO. 01 OF 2014 DATED 03/01/2014) IN SECTOR-33, SOHNA BEING DEVELOPED BY AUM SHREE HOTELS & RESORTS PVT. LTD. IN COLLABORATION WITH GODREJ HIGHVIEW LLP

OWNER'S SIGN:-

For GODREJ HIGHVIEW LLP
Authorised Signatory

ARCHITECT'S SIGN:-

PLANS AND AREA DETAILS (TOWERS D1 &D2) 10